

**MARIA GÓRSKA-ZABIELSKA**

Institute of Geography, Jan Kochanowski University in Kielce

## **ERRATIC DISAPPEARANCES. SOME REMARKS ON THEIR GEOTOURISTIC VALUES**

### **Introduction**

Glacial erratics are a vital source of information about the glaciations that covered significant areas of Poland in the Pleistocene. They intrigue not only scientists, but also geotourists. So why do glacial erratics so frequently end up vandalized?

The glacial erratic boulders found in northwestern Poland (and northeastern Germany) are portions of rock material that were once carried by the Scandinavian ice sheets and deposited in a different geological environment. Their name derives from the Latin *erro*, “to err, to wander, to rove, to go astray.” To be classified as a glacial erratic, such a rock must measure at least 0.5 m along its shortest axis.

The Scandinavian erratics represent all the petrographic types of rocks: igneous, metamorphic, and sedimentary. This tells us that the ice sheet moved forward, scouring and “plucking” outcrops of Proterozoic rocks of the southern portion of the Baltic Shield as well as the Neoproterozoic, Lower Paleozoic and Upper Mesozoic rocks of the Eastern European Platform, which occur in today’s Sweden, Finland, and Baltic Sea floor<sup>1</sup>. However, igneous and metamorphic rocks are by far the most prevalent, due to their greater durability.

About 10% of the entire population of Scandinavian erratics are known to originate from a single specific source area in Scandinavia, and so they are classified as absolute indicator erratics<sup>2</sup> (fig. 1). These rock types include Bredvad porphyry, Karlshamn granite, and Kalmar sandstone. A further 30-40% of the erratic boulders brought in by the Scandinavian ice sheet are classified as statistical erratics, as their rock types can be traced back to a larger number of potential source areas, or to a source area of larger size. Their names therefore do not refer to a specific location, but to their chronostratigraphic age: e.g. Jotnian sandstone, Lower Paleozoic limestone, Devonian dolomite, etc. (fig. 1). The remainder of the Scandinavian erratics are predominantly igneous and metamorphic rocks that can only be said to derive from a source somewhere in the Baltic Shield.

---

<sup>1</sup> Górską-Zabielska M., *Obszary macierzyste skandynawskich eratyków przewodnich osadów ostatniego zlodowacenia północno-zachodniej Polski i północno-wschodnich*, „Geologos” 2008, 14(2), p. 177–194.

<sup>2</sup> Górską-Zabielska M., *Fennoskandzkie obszary alimentacyjne osadów akumulacji glacialnej i glacyjfluwialnej lobu Odry*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 1978, p. 330.




Fig. 1. Location of the source regions of crystalline and sedimentary erratics sampled in glacial deposits of the European Lowland

Source: own elaboration on W. Schulz, *Geologischer Führer für den norddeutschen Geschiebesammler*, CW Verlagsgruppe, Schwerin 2003.

## Unprotected by law

Glacial erratic boulders of large size generally occur in situ, in other words in the very location where they were once “dropped” by the ice sheet. Their massive size is the main reason for this, but not the only one. This group includes all the large glacial erratics in Poland that are under protection as natural monuments. These include Trygław in Tychowo in central Pomerania (the largest glacial erratic in the country – gneiss; fig. 2), the rock in Kowiesy near Mszczonów in central Poland (the largest sedimentary erratic in the country – sandstone), and St. Jadwiga’s Rock near Gołuchów (the largest erratic in the Wielkopolska region – Småland granite; fig. 3). The Nature Protection Act of 2004, however, does not contain any provision clearly stipulating the criteria based on which glacial erratic boulders should be protected (their size, petrographic type, significance for cultural heritage, etc.). Protection regulations in Germany, on the other hand, apply very specifically to igneous erratics with a minimum volume of 10 m<sup>3</sup> in the Pomeranian stage (longest axis ≥ 3.5 m), 5 m<sup>3</sup> in the region between the Pomeranian and Poznanian stages (longest axis ≥ 2.5 m), and 1 m<sup>3</sup> to the south of the Poznanian phase (longest axis ≥ 1.5 m), as well as to all sedimentary erratics irrespective of size (due to their lower resistance to physical and chemical weathering).




Fig. 2. Tryglaw boulder in Tychowo (Middle Pomerania) – the biggest Polish erratic *in situ*  
Phot. M. Górską-Zabielska, 2002.



Fig. 3. St. Hedwig's boulder – the biggest erratic *in situ* in Wielkopolska region  
Phot. R. Zabielski, 2007.

Because the Polish regulations fail to provide such clear stipulations, glacial erratics here are increasingly subject to vandalism e.g. W. Chrzęszczewski<sup>3</sup>. The interesting structure and texture (size, shape) of the rock crystals, and often their color, frequently cause them to disappear from the landscape. They offer ideal stone-working material to sell to both individual customers (e.g. as gravestones, window sills, countertops, floors) and for large-scale investments (building façades, the interiors of major company headquarters or for instance Warsaw Metro stations). Their disappearance deals a blow to the given area's geodiversity, a gauge of the richness of its geological, geomorphological and geographic heritage. This, in turn, entails a drop in its attractiveness for geotourism, which obviously has an impact on the local policy of sustainable socioeconomic growth. Effective popularization of the geological heritage by local guides or interpreters of nature, in the form of workshops, eco-museums, geocaching/quests and the opening up of such sites to public access (provided that proper safety measures are taken) can definitely bring financial benefits directly to the local residents, and indirectly to the local governments of the areas where they are situated.

## Halting the devastation

Striving to curb or at least minimize the losses caused by such vandalization, petrographic gardens known as "lapidariums" (from Latin lapidarius – "stone") can be established. Here boulders are gathered in one place, preserved and exhibited *ex situ*. Such collections in Poland include the Stone Garden in Moryń (part of the planned transborder Oder Valley Post-Glacial Landscape Geopark<sup>4</sup>; fig. 4), the Petrographic Garden in

<sup>3</sup> W. Chrzęszczewski, *Stoneman spod Konina*, „Nowy Kamieniarz” 2009, 43(7), p. 40–44.

<sup>4</sup> M. Górską-Zabielska, R. Dobracki, *Petrographic Garden in Moryń – a new geotouristic attraction in western Poland*, „Landform Analysis” 2015, 29, p. 73–80.

Złocieniec (a branch department of the Regional Environmental Protection Directorate in Szczecin<sup>5</sup>), the Lapidarium of the Institute of Geology, Adam Mickiewicz University in Poznań<sup>6</sup>), the Petrographic Garden of the Wielkopolska National Park in Jezioro<sup>7</sup> (fig. 5); the “Drawnik” Petrographic Trail at Drawa National Park<sup>8</sup> and the Geological Garden on Dylewska Góra<sup>9</sup>. There are also some less formal ones, such as the rock collection nearby the school cluster in Kuźnica near Sokółka<sup>10</sup>, and the Geological Garden that forms part of the private Elżbietówka park near Brzeźno in the Wielkopolska region<sup>11</sup>.



Fig. 4. Scandinavian boulders in the Petrographic Garden in Moryń (western Pomerania) is located in front of the medieval (15<sup>th</sup> C) city wall, also built up from the erratics

Phot. M. Górską-Zabielska, 2014.

<sup>5</sup> M. Górską-Zabielska, *Lapidarium petrograficzne – stanowisko Złocieniec, Pojezierze Drawskie*, [w:] *Pleystoceńskie środowiska sedymentacyjne Pojezierza Pomorskiego*, red. M. Pisarska-Jamroży, Z. Babiński, Wyd. Uniwersytetu Kazimierza Wielkiego, Bydgoszcz 2009, p. 64–70.

<sup>6</sup> M. Górską-Zabielska, *Głazy narzutowe w Wielkopolsce*, „Prace i Studia z Geografii i Geologii” 2010, 18, p. 69; M. Górską-Zabielska, *Ogródki petrograficzne w Poznaniu i najbliższej okolicy*, [w:] *Człowiek i środowisko. Studium interdyscyplinarne*, red. M. Ratajczak-Szczerba, „Studia i Prace z Geografii i Geologii” 2011, 19, p. 99–107.

<sup>7</sup> M. Górską-Zabielska, *Ogródek petrograficzny Wielkopolskiego Parku Narodowego w Jeziorach*, Bogucki Wyd. Naukowe, Poznań 2008, p. 24.

<sup>8</sup> K. Józwiak, M. Stępień, *Petrografia okolic Drawnika*, [w:] *Ekomuzeum Rzeki Drawy. Geościeżka w dolinie Drawy*, red. A. Bąkowska, Wyd. Drawieński Park Narodowy, Drawno 2013, p. 50–78.

<sup>9</sup> [http://parkikrajobrazowewarmiimazur.pl/wzgorzdylewskich/dolne\\_menu-lapidarium.html](http://parkikrajobrazowewarmiimazur.pl/wzgorzdylewskich/dolne_menu-lapidarium.html) [20.05.2017].

<sup>10</sup> M. Górską-Zabielska, *Głazy w Lapidarium Szkolnym w Kuźnicy Białostockiej*, „Zeszyty Naukowe SWPR w Warszawie”, „Przyrodnicze oblicza Ziemi Kuźnickiej”, „Seria Geograficzno-Turystyczna, Zeszyt Specjalny” 2011, 4, p. 53–67.

<sup>11</sup> A. Muszyński, M. Górską-Zabielska, *Park geologiczny w „Elżbietówce”*, wydano nakładem Elżbiety Guzikowskiej-Konopińskiej i Spółki Henkel Polska, Brzeźno 2010.



Fig. 5. Scandinavian boulders in the Petrographic Garden of the Wielkopolski National Park plays an educative, cognitive, aesthetic and geotouristic role

Phot. M. Górską-Zabielska, 2010.

But the greatest educational and scientific value, of course, lies in erratics still preserved in situ, as indisputable attestations to the past glacial epoch. These days they are also increasingly being viewed in terms of their educational and geotouristic functions. Every erratic boulder has a story to tell, and as such they can be useful not only to scientific researchers but also to middle-school and high-school geography teachers. They serve as excellent points of departure for geoeducation, teaching about the petrographic types of rocks, the nature and type of endogenic processes, tectonic structures, erosion, glacial transport and accumulation, and also modern-day morphogenetic processes affecting the boulder's surface since it melted out of the ice sheet. More interested individuals may want to learn more about modern methods used in dating when boulders became exposed, using cosmogenic isotopes.

Geotourism, in turn, is a sustainable way of reaching out to “alternative” tourists, whose interest is not just limited to snapping a selfie against the backdrop of a natural monument, but who are also intrigued to learn about how that monument came to be as it is today and what it can teach us. However, this demands the preparation of the appropriate information board or pamphlet, and it is also crucial for local guides to have a good awareness of the site, being able to explain its origins and value and thereby boosting appreciation of the region's geodiversity.

Developing this new branch of tourism does not require the creation of new “geoproducts” – they already exist. One thing it does require, however, is a clear stipulation in the law of which erratic rocks should be preserved for future generations, and based on which criteria. Otherwise, someday soon it could prove to be too late.



## The Role of Glacial Erratics

The Scandinavian erratic boulders have been a subject of study for decades (with varying intensity), with the main objective of reconstructing the range and history of the ice sheets, and thereby broaden our understanding of the history of the Earth's climate. Erratics can be used to identify the direction of transgression, or how the ice sheet spread. Because of the Pleistocene ice sheet's changing transgression and the varying orientation of the alimentionation areas, the analysis of such boulders can also largely identify the age of the glacial deposits containing them. Moreover, in the latest research<sup>12</sup>, glacial erratics are used in identifying when deglaciation (ice sheet withdrawal) occurred by analyzing the content of cosmogenic isotopes such as <sup>36</sup>Cl and <sup>10</sup>Be. This reveals how long a rock's surface has been exposed to the influence of cosmic rays from space, which therefore tells us how long it has not been covered by ice.

Erratics are especially noteworthy objects of inanimate nature. These undervalued and lightly undertreated georesources are valuable evidence of regional geodiversity and the geological past. They enhance the geotourist value of the natural environment. Some of them are used to commemorate historical events important for a town or country. In this case, they play geotouristic role<sup>13</sup>.

Such a use of boulders confirms timeless, permanent importance of stone obelisks<sup>14</sup>. It seems that erratics deserve more attention on the part of conservation institutions and local authorities that should take care to preserve the natural heritage.

Appropriately exhibited theses inanimate objects maintain and strengthen the geographical character of the place, its environment, culture, beauty, heritage, and prosperity of its citizens<sup>15</sup>. Their role in the sustainable socioeconomic development of the district and town cannot be overestimated. They contribute to the image creation of the town that adapts the elements of inanimate nature for tourist purposes in accordance with the

<sup>12</sup> V. Rinterknecht, L. Marks, J.A. Piotrowski, G.M. Raisbeck, F. Yiou, E.J. Brook, P.U. Clark, *Cosmogenic <sup>10</sup>Be ages on the Pomeranian Moraine, Poland*, „Boreas” 2005, 34(2), p. 186–191; V. Rinterknecht, R. Braucher, M. Böse, D. Bourlès, J.-L. Mercier, *Late Quaternary ice sheet extents in northeastern Germany inferred from surface exposure dating*, „Quatern. Sci. Rev.” 2012, 44, p. 89–95; S. Ivy-Ochs, F. Kober, *Surface exposure dating with cosmogenic nuclides*, „Eiszeitalter und Gegenwart, Quatern. Sci. J.” 2008, 57, p. 179–209.

<sup>13</sup> E. Reynard, *Scientific research and tourist promotion of geomorphological heritage*, „Geografia Fisica e Dinamica Quaternaria” 2008, 31, p. 225–230; M.L. Rodrigues, C.R. Machado, E. Freire, *Geotourism routes in urban areas: a preliminary approach to the Lisbon geoheritage survey*, „GeoJournal of Tourism and Geosites” 2011, 8(2), p. 281–294; P. Migoń, *Geoturystyka*, Wydawnictwo Naukowe PWN, Warszawa 2012; J.L. Palacio-Prieto, *Geoheritage within Cities: urban geosites in Mexico City*, „Geoheritage” 2015, 7(4), p. 365–373; M. Górską-Zabielska, R. Zabielski, *O możliwościach rozwoju geoturystyki w Pruszkowie i okolicy*, [w:] *Uwarunkowania i plany rozwoju turystyki. Turystyka przyrodnicza i uwarunkowania jej rozwoju*, red. Z. Młynarczyk, A. Zajadacz, „Turystyka i Rekreacja – Studia i Prace” 2015, 18, p. 27–39; M. Górską-Zabielska, R. Zabielski, *Walory geoturystyczne miasta na przykładzie Pruszkowa*, [w:] *Potencjał rozwoju małych i średnich miast w Polsce*, red. B. Bartosiewicz, „Space – Society – Economy” 2016, 16, p. 69–84; M. Górską-Zabielska, R. Zabielski, *Potential values of urban geotourism development in a small Polish town (Pruszków, Central Mazovia, Poland)*, „Quaestiones Geographicae” 2017, 36(3), p. 9–25.

<sup>14</sup> K. Kopczyński, J. Skoczylas, *Kamień w religii, kulturze i sztuce*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 2006; J. Skoczylas, M. Żyromski, *Symbolika kamienia jako element procesu legitymizacji władzy w cywilizacji europejskiej*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 2007.

principles of environmental protection. Finally, it should be noted that local initiatives, increasing awareness among the inhabitants, and the promotion of all the geotourist values will certainly help to draw attention to the need for stronger protection of inanimate resources of the Earth.

## References

- Chrząszczewski W., *Stoneman spod Konina*, „Nowy Kamieniarz” 2009, 43(7).
- Górska-Zabielska M., *Obszary macierzyste skandynawskich eratyków przewodnich osadów ostatniego zlodowacenia północno-zachodniej Polski i północno-wschodnich*, „Geologos” 2008, 14(2).
- Górska-Zabielska M., *Ogródek petrograficzny Wielkopolskiego Parku Narodowego w Jeziorach*, Bogucki Wyd. Naukowe, Poznań 2008.
- Górska-Zabielska M., *Fennoskandzkie obszary alimentacyjne osadów akumulacji glacialnej i glaciofluwialnej lobu Odry*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 2008.
- Górska-Zabielska M., *Lapidarium petrograficzne – stanowisko Złocieńiec, Pojezierze Drawskie*, [w:] *Pleystocenne środowiska sedymentacyjne Pojezierza Pomorskiego*, red. M. Pisarska-Jamroży i Z. Babiński, Wyd. Uniwersytetu Kazimierza Wielkiego, Bydgoszcz 2009.
- Górska-Zabielska M., *Głazy narzutowe w Wielkopolsce*, „Prace i Studia z Geografii i Geologii” 2010, 18.
- Górska-Zabielska M., *Ogródki petrograficzne w Poznaniu i najbliższej okolicy*, [w:] *Człowiek i środowisko. Studium interdyscyplinarne*, red. M. Ratajczak-Szczerba, „Studia i Prace z Geografii i Geologii” 2011, 19.
- Górska-Zabielska M., *Głazy w Lapidarium Szkolnym w Kuźnicy Białostockiej*, „Zeszyty Naukowe SWPR w Warszawie”, „Przyrodnicze oblicza Ziemi Kuźnickiej”, „Seria Geograficzno-Turystyczna, Zeszyt Specjalny” 2011, 4.
- Górska-Zabielska M., Dobracki R., *Petrographic Garden in Moryń – a new geotouristic attraction in western Poland*, „Landform Analysis” 2015, 29.
- Górska-Zabielska M., Zabielski R., *O możliwościach rozwoju geoturystyki w Pruszkowie i okolicy*, [w:] *Uwarunkowania i plany rozwoju turystyki. Turystyka przyrodnicza i uwarunkowania jej rozwoju*, red. Z. Młynarczyk, A. Zajadacz, „Turystyka i Rekreacja – Studia i Prace” 2015, 18.
- Górska-Zabielska M., Zabielski R., *Walory geoturystyczne miasta na przykładzie Pruszkowa*, [w:] *Potencjał rozwoju małych i średnich miast w Polsce*, red. B. Bartosiewicz, „Space – Society – Economy” 2016, 16.
- Górska-Zabielska M., Zabielski R., *Potential values of urban geotourism development in a small Polish town (Pruszków, Central Mazovia, Poland)*, „Quaestiones Geographicae” 2017, 36(3).
- Ivy-Ochs S., Kober F., *Surface exposure dating with cosmogenic nuclides*, „Eiszeitalter und Gegenwart. Quatern. Sci. J.” 2008, 57.
- Jóźwiak K., Stępień M., *Petrografia okolic Drawnika*, [w:] *Ekomuzeum Rzeki Drawy. Geościeżka w dolinie Drawy*, red. A. Bąkowska, Wyd. Drawieński Park Narodowy, Drawno 2013.
- Kopczyński K., Skoczylas J., *Kamień w religii, kulturze i sztuce*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 2006.
- Migoń P., *Geoturystyka*, Wydawnictwo Naukowe PWN, Warszawa 2012.
- Muszynski A., Górska-Zabielska M., *Park geologiczny w „Elżbietówce”*, wydano nakładem Elżbiety Guzikowskiej-Konopińskiej i Spółki Henkel Polska, Brzeźno 2010.

- Palacio-Prieto J.L., *Geoheritage within Cities: urban geosites in Mexico City*, „Geoheritage” 2015, 7(4).
- Reynard E., *Scientific research and tourist promotion of geomorphological heritage*, „Geografia Fisica e Dinamica Quaternaria” 2008, 31.
- Rinterknecht V., Braucher R., Böse M., Bourlès D., Mercier J.-L., *Late Quaternary ice sheet extents in northeastern Germany inferred from surface exposure dating*, „Quatern. Sci. Rev.” 2012, 44.
- Rinterknecht V., Marks L., Piotrowski J.A., Raisbeck G.M., Yiou F., Brook E.J., Clark P.U., *Cosmogenic <sup>10</sup>Be ages on the Pomeranian Moraine, Poland*, „Boreas” 2005, 34(2).
- Rodrigues M.L., Machado C.R. and Freire E., *Geotourism routes in urban areas: a preliminary approach to the Lisbon geoheritage survey*, „GeoJournal of Tourism and Geosites” 2011, 8(2).
- Skoczylas J., Żyromski M., *Symbolika kamienia jako element procesu legitymizacji władzy w cywilizacji europejskiej*, Wydawnictwo Naukowe Uniwersytetu im. Adama Mickiewicza, Poznań 2007.

### Websites

[http://parkikrajobrazowewarmiimazur.pl/wzgorzdylewskich/dolne\\_menu-lapidarium.html](http://parkikrajobrazowewarmiimazur.pl/wzgorzdylewskich/dolne_menu-lapidarium.html) [20.05.2017]

### Abstract

The paper presents Scandinavian erratics as an example of abiotic resources that show evidence of geodiversity in a certain region. These mute witnesses of a glacial epoch play scientific, cognitive, educational, cultural, historical, aesthetic, conservative and, at last but not least, geotouristic role. Unfortunately, the proper authorities and also the inhabitants are unaware of the value of these resources. That is why they remain unused in the sustainable development of the district and/or town as well as in the creation of the district's/town's image. The paper suggests that some abiotic elements of nature should be adapted for tourist purposes in accordance with the principles of environmental protection.

**Key words:** Scandinavian erratics; georesources; geodiversity; geotourism

### INFORMATION ABOUT THE AUTHOR

**Dr hab. prof. UJK Maria Górska-Zabielska**, Institute of Geography, Jan Kochanowski University in Kielce. Research interests of the author focus on the following issues: characteristics of selected textural features of glacial sediments, petrography of medium-coarse gravel of glacial sediments, Scandinavian indicator erratics of glacial accumulation deposits, the role and importance of erratic boulders in preserving of geodiversity, protection of geodiversity and geotourism.